

CHILD'S AGE	VACCINE AND DOSE	PROTECTS AGAINST
Birth to 2 months	Hepatitis B (dose 1 of 3)	Hepatitis B virus
1 to 4 months	Hepatitis B (dose 2 of 3)	Hepatitis B virus
2 months	DTaP (dose 1 of 5)	Diphtheria, tetanus, and whooping cough
	Hib (dose 1 of 4)	Infections of the blood, brain, joints, or lungs
	Polio (IPV) (dose 1 of 4)	Polio
	Pneumococcal conjugate (PCV7) (dose 1 of 4)	Infections of the blood, brain, joints, or inner ears
	Rotavirus (dose 1 of 3)	Rotavirus
4 months	DTaP (dose 2 of 5)	Diphtheria, tetanus, and whooping cough
	Hib (dose 2 of 4)	Infections of the blood, brain, joints, or lungs
	Polio (IPV) (dose 2 of 4)	Polio
	Pneumococcal conjugate (PCV7) (dose 2 of 4)	Infections of the blood, brain, joints, or inner ears
	Rotavirus (dose 2 of 3)	Rotavirus
6 months	DTaP (dose 3 of 5)	Diphtheria, tetanus, and whooping cough
	Hib (dose 3 of 4)	Infections of the blood, brain, joints, or lungs
	Pneumococcal Conjugate (PCV7) (dose 3 of 4)	Infections of the blood, brain, joints, or inner ears
	Rotavirus (dose 3 of 3)	Rotavirus
6 to 18 months	Hepatitis B (dose 3 of 3)	Hepatitis B virus
	Polio (IPV) (dose 3 of 4)	Polio
6 to 59 months	Influenza (1 dose every year)	Flu and complications
12 to 15 months	Hib (dose 4 of 4)	Infections of the blood, brain, joints, or lungs
	Pneumococcal conjugate (PCV7) (dose 4 of 4)	Infections of the blood, brain, joints, or inner ears
	MMR (dose 1 of 2)	Measles, mumps, and rubella (German measles)
	Hepatitis A (dose 1 of 2)	Hepatitis A virus
12 to 18 months	Varicella (dose 1 of 2)	Chickenpox
15 to 18 months	DTaP (dose 4 of 5)	Diphtheria, tetanus, and whooping cough
	Hepatitis A (dose 2 of 2)	Hepatitis A virus
4 to 6 years	DTaP (dose 5 of 5)	Diphtheria, tetanus, and whooping cough
	Polio (IPV) (dose 4 of 4)	Polio
	MMR (dose 2 of 2)	Measles, mumps, and rubella (German measles)
	Varicella (dose 1 of 2)	Chickenpox
Additional Vaccines	Consult your child's physician to healthcare professional about catch-up vaccinations and vaccines for travelers.	